



CAST SCONCE WALL LAMP W/DIFFUSER, DIMMABLE Designed by *Tom Chung & Jordan Murphy*



CAST SCONCE WALL LAMP W/DIFFUSER, DIMMABLE, EU Designed by *Tom Chung & Jordan Murphy*

Cast aluminium lamp with vertical brass arm with mounting plate for wall. The lamp is unable to be adjusted once mounted. Please ensure the correct shade angle before attaching to a wall.



BLACK 1251539

TECHNICAL SPECIFICATIONS

PRODUCT TYPE Wall lamp

COLLI

ENVIRONMENT Indoor

DIMENSIONS H: 19,6 cm / 7,7" Ø: 12,5 cm / 4,7" D: 18 cm / 7,09"

COLOUR Black (RAL 9005)

PRODUCTION PROCESS
Sand-caste aluminium with painted finish.

MATERIALS
Cast aluminium (rough surface),
aluminium (reflector) and brushed brass.
Diffuser is PMMA.

WEIGHT 0,85 kg / 1,87 lb VOLTAGE CE: 220-230 V US: 110-130 V

LIGHT SOURCE Replaceable LED 5 W

LIGHT SPECIFICATION 181 lm 2700 K Ra > 80 Energy class: G

DIMMER Rotary dimmer on cord.

CANOPY N / A

CORD MATERIAL AND COLOUR PVC cord with matte rubber coating, black, plug, black.

CORD LENGTH 200 cm / 78,7" The cord can be shortened and be hard wired.

CLASSIFICATION IP20, Class II

CERTIFICATIONS
CE and ETL certified, tests can be obtained upon request.

PACKAGING TYPE Gift box

PACKAGING MEASUREMENTS (H \times W \times D) 25,1 cm \times 16,1 cm \times 22,8 cm / 9,8" \times 6,3" \times 8,9"


MATERIALS & MAINTENANCE Please visit audocph.com for materials, care and maintenance instructions.







0:12 cm / 4,7"



D: 18 cm / 7,09"



CAST SCONCE WALL LAMP W/DIFFUSER, DIMMABLE, US Designed by Tom Chung & Jordan Murphy

Cast aluminium lamp with vertical brass arm with mounting plate for wall. The lamp is unable to be adjusted once mounted. Please ensure the correct shade angle before attaching to a wall.



BLACK 1251539U

TECHNICAL SPECIFICATIONS

PRODUCT TYPE

COLLI

Wall lamp

ENVIRONMENT Indoor

DIMENSIONS H: 19,6 cm / 7,7" Ø: 12,5 cm / 4,7" D: 18 cm / 7,09"

COLOUR Black (RAL 9005)

PRODUCTION PROCESS Sand-caste aluminium with painted finish.

MATERIALS Cast aluminium (rough surface), aluminium (reflector) and brushed brass. Diffuser is PMMA.

WEIGHT 0,85 kg / 1,87 lb VOLTAGE CE: 220-230 V US: 110-130 V

LIGHT SOURCE Replaceable LED

LIGHT SPECIFICATION 181 lm $2700 \mathrm{K}$ Ra > 80 Energy class: G

DIMMER Rotary dimmer on cord.

CANOPY N/A

CORD MATERIAL AND COLOUR PVC cord with matte rubber coating, black, plug, black.

CORD LENGTH 200 cm / 78,7" The cord can be shortened and be hard wired.

CLASSIFICATION IP20, Class II

CERTIFICATIONS CE and ETL certified, tests can be obtained upon request.

PACKAGING TYPE Gift box

PACKAGING MEASUREMENTS $(H \times W \times D)$ 25,1 cm × 16,1 cm × 22,8 cm / 9,8" × 6,3" × 8,9"


MATERIALS & MAINTENANCE Please visit audocph.com for materials, care and maintenance instructions.







0:12 cm / 4,7"



D: 18 cm / 7,09"