

The Holly collection consists of: a small armchair, a relaxing lounge chair, foot stool, sun lounger and low table. Up to 8 sun loungers with retractable wheels can be stacked together. A long, S-shaped, extruded profile forms the legs and arms. The fabric wraps around and covers the side sections of the bed and back. An optional sunshade can be attached to the back and the sun lounger also comes complete with a small, two-tiered, flat, sheet-metal table. The aluminium structure ensures the product is weather, humidity and salt water resistant. The Holly armchair and chair can both be stacked. They have an aluminium and stainless steel structure, whereas the EMU-Tex seat and back are designed to be easily replaceable. A comfortable aluminium and EMU-Tex footrest also fits the little armchair and lounge chair.



Description

Code: **195** 


Typology: Sunloungers

Collection: Holly

Stackable: 8 Folding: Yes

Static Load: 200 Kg

Technical Info



Width: 202 cm Depth: 79 cm Height: 37-103 cm

Weight: **13.6 Kg** Static Load: **200 Kg**  Packaging

Packages: **1** 

Pieces for pack: 1

Dimensions: 205x82x53 cm

Volume: **0.891 mc** 

Polyethylene bag and cardboard

box



## Colors

22 300/66

Antique Iron - Stone

23 300/56

Matt White - Ocean Blue

41 300/67

Indian Brown - Mocha

22 300/86

Antique Iron - Hazel

23 300/65

Matt White - White/Grey

41 300/86

Indian brown - Hazel

23 300/52

Matt White - White

24 300/95

Black - Black

71 300/86

Taupe - Hazel

Phone: +39 075 874021 / +39 075 8743903

E-mail: info@emu.it



### Materials

#### **Aluminium**

Aluminium alloys, particularly suitable for cold-working and for die-casting, appropriately treated to withstand the elements and powder coated.

**Maintenance:** To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

#### **Emu-tex**

It is a technical fabric for outdoor use made with polyvinyl chloride thread. It features exceptional strength to ensure durability: maximum resistance to UV rays, the elements, humidity and sudden changes in temperature.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter. Avoid prolonged contact with greasy substances and/or dyes, which may be absorbed by the coating material, causing permanent staining and deterioration of the yarn structure. Frequent washing: use water and non-abrasive, colourless liquid detergents with neutral PH. Leave the detergent to react for a few minutes, if required Rinse thoroughly with water at a temperature not exceeding 30°C. If pressurised devices are used, keep the diffuser tip at least 60/70 cm away from the surface of the item. Repeat the operation if necessary. Periodic and/or extraordinary washing: use a regenerating stain remover for PVC, following the procedure below. Operations to be performed:

- apply the stain remover to the dirty fabric;
- allow the product to act for 15-30 minutes;
- rub the stained area using a common hard-bristle laundry brush (phase is necessary since the dirt is inside the weaving);
- rinse with running water (if possible rinse using a high-pressure cleaner, remaining at a distance of approx. 60 cm so as not to damage the fabric with the high pressure);
- repeat the operations if necessary.

Note: when applying the product, pay attention not to apply it to the painted parts of the product.



Phone: +39 075 874021 / +39 075 8743903

E-mail: info@emu.it