
MATIN FLUSH MOUNT

PRODUCT FACT SHEET





MATIN FLUSH MOUNT


DESIGN BY INGA SEMPÉ, 2021


Designed by Inga Sempé, the Matin Flush Mount offers a contemporary yet poetic design, with a construction that combines visual delicacy with physical robustness. The lamp comprises a painted steel bracket for mounting onto the wall or ceiling, and is covered by a pleated cotton shade that comes in two sizes with different colour options. The light source is two retrofit E14 bulbs that create a soft and ambient light.

HIGHLIGHTS

- ·Part of a progressive and technologically advanced lighting collection.
- · A family of contemporary table, ceiling and wall lamps.
- ·Classic and contemporary lamp with a steel bracket for mounting onto walls or ceilings and pleated cotton shade in different colours.
- \cdot Shares the same shades as the table lamp variants and can easily be changed.
- ·CE approved.
- \cdot Available in two sizes and suitable for both private and office environments.

DIMENSIONS





MATIN FLUSH MOUNT 380 WIDTH 38 CM | 15" DEPTH 38 CM | 15" HEIGHT 16 CM | 6.30"

MATIN FLUSH MOUNT 500 WIDTH 50 CM | 19.69" DEPTH 50 CM | 19.69" HEIGHT 20 CM | 7.87"

MATERIALS

SHADE

Cotton fabric laminated to a PVC sheet. Black top screw in injection moulded ABS. CEILING/WALL BRACKET
Sheet metal with white wet-spray finish.

COLOUR & FINISH

Please note that the colour codes are indicative.







WHITE RAL 9010



YELLOW PANTONE 109

TECHNICAL SPECIFICATIONS

RECOMMENDED LIGHT SOURCE*	RECOMMENDED POWER (WATTS)	DIMMABLE	POWER SUPPLY	CORD	SWITCH
2 x E14 LED bulb (A15 or B8)	5-8W (max. 8W)	Yes**	220-240V AC at 50/60Hz	Integrated in the	No
2 x 2 1 1 22 5 5 6 15 (110 6 1 5 6)	o ov (max. ov)	100	220 2 10 7 10 4 (00) 00 112	ceiling or wall	110

^{*}Bulb not included.

TEST SPECIFICATIONS*

FLUX (LUMENS)

CCT (KELVIN) & CRI (1-100)

500-800lm

The levels will vary depending on the type of bulb used in the lamp.

PHOTOMETRICS

Test result expected in June.

CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.













Tested according to the following european EN / IEC standards which relate specifically to electrical lighting products including

- · EN 55015:2013 (radio disturbance)
- ·EN 61547:2009 (EMC immunity)
- ·EN 61000-3-2:2014 (EMC compatibility)
- ·EN 61000-3-3:2013 (EMC compatibility)
- ·EN 60598-2-4:1997 (portable luminaires)
- ·EN 60598-1:2015 (general requirements)
- ·EN 62493:2010 (human exposure to EMC)

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

LINK TO IMAGE BANK

^{**}If used in conjunction with a wall mounted dimmer and suitable LED bulb.

^{*}Photometrics and the specification shown is taken using the recommended LED bulbs fitted in the production luminaire.