Secto Design

Secto Design Oy Kauppalantie 12 02700 Kauniainen Finland tel. +358 9 5050 598 fax +358 9 5475 2535 info@sectodesign.fi www.sectodesign.fi



Secto 4220 table lamp

natural birch, black laminate or white laminate, walnut veneer

- The shade is made of form pressed birch slats
- White and black finishes have been laminated
- Walnut finish has a waxed walnut veneer on top
- Height of the shade 45 cm, diameter 25 cm
- Height of the lamp 75 cm, weight 4,3 kg
- The switch is on the cable, cable always black
- Cable length 200 cm,
- Bulb base E27
- Included light bulb:
 - Megaman LED Classic, E27, 11 W, 1055 lumen, 2800 K, warm white
- The frame of the floor lamp is made of powder painted steel, tone RAL 9006 on the birch, white and walnut shade ones and structure painted black finish on the black shade one
- Installing the shade to the table lamp:

1. Unscrew the screw on top of the socket & remove the little round plate on the top 2. Place the shade on the frame. Screw back the round plate to the top of the lamp using the screw.

- International Protection Rating: IP20
- Dimension of the box: 37 x 30 x 76 cm, 6,3 kg

Please note that there must always be 15 mm around the bulb for air circulation. The use of special bulbs such as halogen, mirror or 12 V bulbs in Secto Design lamps is forbidden, due to overheating.

Secto Design



Secto 4220 table lamp detail


Lamp base Wattage	E27 max. 60 W
Colour	The colour of the frame depends on the colour of the shade. Black shades come with black frames. Shades in other colours come with gray frames.
Information	The top screw holds the round plate on top of the lamp holder. When placing the shade to the frame the top screw should be opened to release the round plate. The shade is placed on the frame so that the fixed round disc on top of the frame is tightly fitted into the hole on top of the shade. The round plate is

then screwed back onto the top of the lamp.

Secto Design Secto 4220



This luminaire is compatible with bulbs of the energy classes:





874/2012